



Reaction Engineering Short Course Laboratory Reactors

*Prepared and presented by the Reaction Engineering Discipline
The Dow Chemical Company*

List of References

1. Akita, K. and F. Yoshida, Bubble Size, Interfacial Area, and Liquid-Phase Mass-Transfer Coefficient in Bubble Columns. Industrial & Engineering Chemistry Process Design and Development, 1974. **13**(1): p. 84-91.
2. Al-Dahhan, M.H. and M.P. Dudukovic, Catalyst wetting efficiency in trickle-bed reactors at high pressure. Chemical Engineering Science, 1995. **50**(15): p. 2377-2389.
3. Al-Dahhan, M.H. and M.P. Dudukovic, Catalyst bed dilution for improving catalyst wetting in laboratory trickle-bed reactors. AIChE J., 1996. **42**(9): p. 2594-2606.
4. Alpay, E., L.S. Kershenbaum, and N.F. Kirkby, Pressure correction in the interpretation of microreactor data. Chemical Engineering Science, 1995. **50**(6): p. 1063-1067.
5. Aris, R., On shape factors for irregular particles--I : The steady state problem. Diffusion and reaction. Chemical Engineering Science, 1957. **6**(6): p. 262-268.
6. Bałdyga, J. and J.R. Bourne, Turbulent mixing and chemical reactions. 1999: Wiley.
7. Barresi, A. and G. Baldi, Solid Dispersion in an Agitated Vessel. Chemical Engineering Science, 1987. **42**(12): p. 2949-2956.
8. Baussaron, L., et al., Wetting topology in trickle bed reactors. AIChE J., 2007. **53**(7): p. 1850-1860.
9. Beenackers, A. and W. Van Swaaij, Mass transfer in gas—liquid slurry reactors. Chemical Engineering Science, 1993. **48**(18): p. 3109-3139.
10. Berger, R.J., et al., Catalyst performance testing: bed dilution revisited. Chemical Engineering Science, 2002. **57**(22-23): p. 4921-4932.
11. Berger, R.J., et al., Catalyst performance testing: Radial and axial dispersion related to dilution in fixed-bed laboratory reactors. Applied Catalysis A: General, 2002. **227**: p. 321-333.
12. Berty, J.M., Comments on the paper "An Improved Gas Recirculation Reactor for Catalytic Studies", by L. Caldwell, Applied Catalysis, **8** (1983) 199. Applied Catalysis, 1983. **8**(2): p. 289-291.
13. Berty, J.M., Recycle Reactors, What Are These, Why and How are These Used?, in *1992 AIChE Annual Meeting*. 1992: Miami Beach, FL.
14. Bourne, J.R., Mixing and the Selectivity of Chemical Reactions. Organic Process Research & Development, 2003. **7**: p. 471-508.
15. Broucek, R., Falsification of kinetic parameters by incorrect treatment of recirculation reactor data. Chemical Engineering Science, 1983. **38**(8): p. 1349-1350.
16. Buurman, C., G. Resoort, and A. Plaschkes, Scaling-up rules for solids suspension in stirred vessels. Chemical Engineering Science, 1986. **41**(11): p. 2865-2871.
17. Caldwell, L., An improved internal gas recirculation reactor for catalytic studies. Applied Catalysis, 1983. **8**(2): p. 199-213.
18. Caldwell, L., Reply to comments by J.M. Berty on the paper "An Improved Internal Gas Recirculation Reactor for Catalytic Studies", applied catalysis, applied catalysis, 8 (1983) 199. Applied Catalysis, 1983. **8**(2): p. 293-294.
19. Calverley, E.M., et al., A small, well-mixed reactor for high throughput study of commercial catalyst pills. Chemical Engineering Science, 2016.
20. Carberry, J.J., Designing Laboratory Catalytic Reactors. Industrial & Engineering Chemistry, 1964. **56**(11): p. 39-46.



21. Carberry, J.J., Chemical and Catalytic Reaction Engineering. 1976, New York: McGraw-Hill Book Company.
22. Carberry, J.J. and A. Varma, Chemical reaction and reactor engineering. 1987: Marcel Dekker Inc., New York, NY; None. 1088.
23. Chapman, C.M., et al., Particle Gas-Liquid Mixing in Stirred Vessels. Chemical Engineering Research & Design, 1983. **61**(2): p. 71-81.
24. Chilton, T.H. and A.P. Colburn, Mass Transfer (Absorption) Coefficients Prediction from Data on Heat Transfer and Fluid Friction. Industrial & Engineering Chemistry, 1934. **26**(11): p. 1183-1187.
25. Chudacek, M.W., Solids Suspension Behavior in Profiled Bottom and Flat Bottom Mixing Tanks. Chemical Engineering Science, 1985. **40**(3): p. 385-392.
26. Dwivedi, P.N. and S.N. Upadhyay, Particle-Fluid Mass Transfer in Fixed and Fluidized Beds. Industrial & Engineering Chemistry Process Design and Development, 1977. **16**(2): p. 157-165.
27. Fogler, H.S., Elements of Chemical Reaction Engineering. 2nd ed. 1992, Englewood Cliffs, New Jersey: Prentice Hall.
28. Gezork, K.M., et al., The transition from homogeneous to heterogeneous flow in a gassed, stirred vessel. Chemical Engineering Research & Design, 2000. **78**(A3): p. 363-370.
29. Gianetto, A., R. Dümpelmann, and A. Baiker, Criteria for gradientless operation of internal recycle reactors. Chemical Engineering Science, 1992. **47**(9): p. 2665-2670.
30. Gierman, H., Design of laboratory hydrotreating reactors: Scaling Down of Trickle-flow Reactors. Applied Catalysis, 1988. **43**: p. 277-286.
31. Hickman, D.A., J.C. Degenstein, and F.H. Ribeiro, Fundamental principles of laboratory fixed bed reactor design. Current Opinion in Chemical Engineering, 2016. **13**: p. 1-9.
32. Hickman, D.A., et al., Successful Scale-up of an Industrial Trickle Bed Hydrogenation Using Laboratory Reactor Data. Industrial & Engineering Chemistry Research, 2013. **52**(44): p. 15287-15292.
33. Hickman, D.A. and D.D. Sobek, Liquid Phase Process Characterization, in *Micro Instrumentation*. 2007. p. 407-429.
34. Hickman, D.A., M. Weidenbach, and D.P. Friedhoff, A comparison of a batch recycle reactor and an integral reactor with fines for scale-up of an industrial trickle bed reactor from laboratory data. Chemical Engineering Science, 2004. **59**(22-23): p. 5425-5430.
35. Hightower, J.W., Gas-liquid-solid reactor design, Y. T. Shah, McGraw-Hill; 373 pages; January, 1979. AIChE Journal, 1981. **27**(2): p. 316-316.
36. Hougen, O.A., Reaction kinetics in chemical engineering. 1951: American Institute of Chemical Engineers.
37. Joshi, J.B., A.B. Pandit, and M.M. Sharma, Mechanically Agitated Gas-Liquid Reactors. Chemical Engineering Science, 1982. **37**(6): p. 813-844.
38. Kan, K.-M. and P.F. Greenfield, Multiple Hydrodynamic States in Cocurrent Two-Phase Downflow through Packed Beds. Industrial & Engineering Chemistry Process Design and Development, 1978. **17**(4): p. 482-485.
39. Kärger, J. and D.M. Ruthven, Diffusion in zeolites and other microporous solids. 1992: Wiley.
40. Krishna, R., P.M. Wilkinson, and L.L. Vandierendonck, A Model for Gas Holdup in Bubble-Columns Incorporating the Influence of Gas-Density on Flow Regime Transitions. Chemical Engineering Science, 1991. **46**(10): p. 2491-2496.
41. Levenspiel, O., Chemical Reaction Engineering: An Introduction to the Design of Chemical Reactors. 1962, New York: John Wiley and Sons, Inc.
42. Levenspiel, O., The chemical reactor omnibook. Vol. 3. 1996: OSU book stores Oregon, USA.
43. Linek, V., P. Benes, and O. Holecek, Correlation for Volumetric Mass-Transfer Coefficient in Mechanically Agitated Aerated Vessel for Oxygen Absorption in Aqueous-Electrolyte Solutions. Biotechnology and Bioengineering, 1988. **32**(4): p. 482-490.

44. Loudon, D., W. van der Merwe, and W. Nicol, Multiple hydrodynamic states in trickle flow: Quantifying the extent of pressure drop, liquid holdup and gas-liquid mass transfer variation. Chemical Engineering Science, 2006. **61**(22): p. 7551-7562.
45. Magelli, F., et al., Solid Distribution in Vessels Stirred with Multiple Impellers. Chemical Engineering Science, 1990. **45**(3): p. 615-625.
46. Magelli, F., et al., Solids Concentration Distribution in Slurry Reactors Stirred with Multiple Axial Impellers. Chemical Engineering and Processing, 1991. **29**(1): p. 27-33.
47. Mahoney, J.A., K.K. Robinson, and E.C. Myers, Catalyst evaluation with the gradientless reactor. Chemtech, 1978. **8**(12): p. 758-63.
48. Maiti, R., A. Atta, and K.D.P. Nigam, Effect of Particle Porosity on Hysteresis in Trickle-Bed Reactors. Ind. Eng. Chem. Res., 2008. **47**(21): p. 8126-8135.
49. Mary, G., J. Chaouki, and F. Luck, Trickle-Bed Laboratory Reactors for Kinetic Studies, in *International Journal of Chemical Reactor Engineering*. 2009.
50. Mears, D.E., Tests for Transport Limitations in Experimental Catalytic Reactors. Industrial & Engineering Chemistry Process Design and Development, 1971. **10**(4): p. 541-547.
51. Mears, D.E., Diagnostic criteria for heat transport limitations in fixed bed reactors. Journal of Catalysis, 1971. **20**(2): p. 127-131.
52. Mears, D.E., The role of axial dispersion in trickle-flow laboratory reactors. Chemical Engineering Science, 1971. **26**: p. 1361-1366.
53. Mederos, F.S., J. Ancheyta, and J. Chen, Review on criteria to ensure ideal behaviors in trickle-bed reactors. Applied Catalysis A: General, 2009. **355**(1-2): p. 1-19.
54. Nauman, E.B., Chemical Reactor Design, Optimization, and Scaleup. 2008: Wiley.
55. Nienow, A.W., On impeller circulation and mixing effectiveness in the turbulent flow regime. Chemical Engineering Science, 1997. **52**(15): p. 2557-2565.
56. Oldshue, J.Y., Mixing. Industrial and Engineering Chemistry, 1969. **61**(11): p. 121-&.
57. Oldshue, J.Y., Suspending Solids and Dispersing Gases in Mixing Vessel. Industrial and Engineering Chemistry, 1969. **61**(9): p. 79-&.
58. Oldshue, J.Y. and N.R. Herbst, A Guide to Fluid Mixing. 1990: Mixing Equipment Company.
59. Oyevaar, M.H. and K.R. Westerterp, The Use of the Chemical Method for the Determination of Interfacial-Areas in Gas-Liquid Contactors. Chemical Engineering Science, 1989. **44**(11): p. 2691-2701.
60. Paul, E.L., V.A. Atiemo-Obeng, and S.M. Kresta, Handbook of Industrial Mixing: Science and Practice. 2004: Wiley.
61. Pérez-Ramírez, J., et al., The six-flow reactor technology: A review on fast catalyst screening and kinetic studies. Catalysis Today, 2000. **60**: p. 93-109.
62. Perkins, T.K. and H.F. Rase, An improved experimental reactor for applied kinetic studies. AIChE Journal, 1958. **4**(3): p. 351-355.
63. Ramachandran, P.A. and R.V. Chaudhari, Three-phase catalytic reactors. 1983: Gordon and Breach Science Publishers.
64. Robertson, A.J.B., Early history of catalysis. Platinum Met. Rev., 1975. **19**(2): p. 64-9.
65. Sano, Y., N. Yamaguchi, and T. Adachi, Mass transfer coefficients for suspended particles in agitated vessels and bubble columns. Journal of Chemical Engineering of Japan, 1974. **7**(4): p. 255-261.
66. Santayana, G., The Life of Reason: The Phases of Human Progress. Vol. 1. 1980, New York: Dover Publications, Inc.
67. Satterfield, C.N., Mass transfer in heterogeneous catalysis. 1970: M.I.T. Press.
68. Satterfield, C.N., Heterogeneous Catalysis in Practice. 1980, New York: McGraw-Hill.
69. Satterfield, C.N., C.K. Colton, and W.H. Pitcher, Restricted diffusion in liquids within fine pores. AIChE Journal, 1973. **19**(3): p. 628-635.

70. Schumpe, A. and W.D. Deckwer, Analysis of Chemical Methods for Determination of Interfacial-Areas in Gas-in-Liquid Dispersions with Nonuniform Bubble Sizes. Chemical Engineering Science, 1980. **35**(10): p. 2221-2233.
71. Sederman, A.J. and L.F. Gladden, Magnetic resonance imaging as a quantitative probe of gas-liquid distribution and wetting efficiency in trickle-bed reactors. Chemical Engineering Science, 2001. **56**: p. 2615-2628.
72. Sie, S.T., Advantages, Possibilities, and Limitations of Small-Scale Testing of Catalysts for Fixed-Bed Processes, in *Deactivation and Testing of Hydrocarbon-Processing Catalysts*, P. O'Connor, T. Takatsuka, and G.L. Woolery, Editors. 1996, American Chemical Society: Washington, DC. p. 6-41.
73. Smith, J.M., Kinetics and reactors — The engineer's dilemma. The Canadian Journal of Chemical Engineering, 1970. **48**(2): p. 142-146.
74. Smith, J.M., Chemical Engineering Kinetics. 1981, New York: McGraw-Hill.
75. Takahashi, K., H. Fujita, and T. Yokota, Effect of Size of Spherical Particle on Complete Suspension Speed in Agitated Vessels of Different Scale. Journal of Chemical Engineering of Japan, 1993. **26**(1): p. 98-100.
76. Thoenes, D., Chemical Reactor Development: from Laboratory Synthesis to Industrial Production. 1994: Springer Netherlands.
77. Trambouze, P., et al., Chemical reactors: Design, engineering, operation. 1988: Editions Technip Paris, France.
78. Tsamatsoulis, D., et al., The effect of particle dilution on wetting efficiency and liquid film thickness in small trickle beds. Chemical Engineering Communications, 2001. **185**: p. 67-77.
79. van der Merwe, W. and W. Nicol, Characterization of Multiple Flow Morphologies within the Trickle Flow Regime. Industrial & Engineering Chemistry Research, 2005. **44**(25): p. 9446-9450.
80. van der Westhuizen, I., E. Du Toit, and W. Nicol, Trickle flow multiplicity: the influence of the prewetting procedure on flow hysteresis. Chem. Eng. Res. Des., 2007. **85**(A12): p. 1604-1610.
81. van Houwelingen, A.J., C. Sandrock, and W. Nicol, Particle wetting distribution in trickle-bed reactors. AIChE Journal, 2006. **52**(10): p. 3532-3542.
82. van Klinken, J. and R.H. van Dongen, Catalyst dilution for improved performance of laboratory trickle-flow reactors. Chemical Engineering Science, 1980. **35**(1-2): p. 59-66.
83. Wedel, S. and J. Villadsen, Falsification of kinetic parameters by incorrect treatment of recirculation reactor data. Chemical Engineering Science, 1983. **38**(8): p. 1346-1349.
84. Weekman, V.W., Laboratory reactors and their limitations. AIChE Journal, 1974. **20**(5): p. 833-840.
85. Weisz, P. and C. Prater, Interpretation of measurements in experimental catalysis. Adv. Catal, 1954. **6**(143): p. 60390-9.
86. Weisz, P.B. and J.S. Hicks, The behaviour of porous catalyst particles in view of internal mass and heat diffusion effects. Chemical Engineering Science, 1962. **17**(4): p. 265-275.
87. Weisz, P.B. and E.W. Swegler, Effect of Intra-particle Diffusion on the Kinetics of Catalytic Dehydrogenation of Cyclohexane. The Journal of Physical Chemistry, 1955. **59**(9): p. 823-826.
88. Westerterp, K.R., W. Van Swaaij, and A. Beenackers, Chemical reactor design and operation. Vol. 84. 1987: Wiley Chichester.
89. Witt, P.M., et al., Modeling mesoscale reactors for the production of fine chemicals. Chemical Engineering Journal, 2015. **278**: p. 353-362.
90. Wu, Y., et al., Comparison of Upflow and Downflow Two-Phase Flow Packed-Bed Reactors with and without Fines: Experimental Observations. Industrial & Engineering Chemistry Research, 1996. **35**(2): p. 397-405.
91. Zlokarni, M. and H. Judat, Tubular and Propeller Stirrers - an Effective Stirrer Combination for Simultaneous Gassing and Suspending. Chemie Ingenieur Technik, 1969. **41**(23): p. 1270.
92. Zwietering, T.N., Suspending of solid particles in liquid by agitators. Chemical Engineering Science, 1958. **8**(3-4): p. 244-253.